SUPPLIES GET SET FOR SUMMER









PACKED FULL OF ESSENTIAL SUMMER PRODUCTS

- Fans Air Circulators Patio Heaters Weatherproof Accessories
- RCDs = Extension Leads = Wall lights = Groundlights = Enclosures = Gels









- Quiet operation
- Adjustable tilt
- Guarantee: 1 Year



FROM £11.95

Levanté^{*}

ADDVENT

Code	Size	Power Rating	Speeds	1+
2025-5446	9"	30W	2	£11.95
2025-5443	12"	40W	3	£13.95

16" OSCILLATING **DESK FAN**

- Adjustable tilt
- Operation type: Piano switch
- Speeds: 3
- Power rating: 50W



OSCILLATING METAL DESK FANS



Guarantee: 1 Year



FROM

Levanté^{*}

Levanté^{*}

18 m Flex with nlun

Code	Size
2479-3633	9"

1.0 111 1 107	with plug			
Code	Size	Power Rating	Speeds	1+
2479-3633	9"	30W	3	£24.95
2479-3627	12"	35W	3	£27.95

16" METAL PEDESTAL AIR CIRCULATOR





- Adjustable height and tilt
- Speeds: 3
- Power rating: 50W
- Free standing
- Guarantee: 1 Year



Includes:

1.8 m Flex with plug

2479-3630 ONLY

Levanté^{*}

16" PEDESTAL AIR CIRCULATOR

- Oscillating fan action maximises air circulation
- · Adjustable height and tilt
- Speeds: 3
- Power rating: 50W
- Free standing
- Guarantee: 1 Year





Includes:

• 1.25 m Flex with plug

Includes:

1.25 m Flex and plug

16" AIR CIRCULATOR

- **ADDVENT**
- Lightweight with carry handle
- Adjustable tilt
- Power rating: 49W
- Speeds: 3
- Mounted: Wall or floor Guarantee: 2 Years

2248-7515

ADDVENT



• Flex with plug

20" AIR CIRCULATOR

- **ADDVENT**
- Lightweight with carry handle
- Adjustable tilt
- Speeds: 3
- Power ratings: 110W
- Mounted: Wall or floor
- Exchange warranty: 2 Years



2124-9016 ONLY

20" AIR CIRCULATOR

- Integrated carry handle
- Adjustable tilt angle
- Speeds: 3
- Power rating: 70W
- Exchange warranty: 2 Years



0546-1876

31" TOWER FAN WITH **TIMER AND REMOTE**

- Levanté^{*}
- Portable unit with touchscreen and remote control
- Oscillating action with 7 hour timer
- Speeds: 3

- Power rating: 40W
- Detachable air filter
- Guarantee: 1 Year

Includes:

- Remote control
- 1.5 m Flex with plug





36" SMART TOWER FANS

- LED Display with touch controls
- Wi-Fi enabled control via the app
- Oscillating action with 8 hour timer
- Speeds: 8 [3 x breeze settings: normal, natural and sleep]
- Removable air filter



igenix

amazon alexa

App Store	► God

Code	Colour	Height	Width	Depth	1+
2568-4564	Black	920 mm	200 mm	200 mm	£99.95
2568-4570	White	920 mm	200 mm	200 mm	£99.95

5 LTR PORTABLE AIR



Levanté^{*}

- Portable air cooling unit with touchscreen and remote control
- Oscillating action with 7.5 hour timer
- Speeds: 3

- Power rating: 65W
- Built-in ionizer for air purifying
- Guarantee: 1 Year



Includes:

- Detachable water tank
- Remote control
- 2 x Ice packs
- 1.8 m Flex with plug

Code Height 2479-3636 660 mm

PORTABLE SELF-EVAPORATING AIR CONDITIONER

- Compact and portable with wheels and handle for ease of movement
- Manual controls with additional remote control handset
- Dehumidifying function with HEPA



- Self-evaporating no need to empty water container
- Suitable for rooms up to 20 m^2
- Power rating: 1,020W
- Capacity: 9000 BTU



ONLY

Includes:

· Remote control

Code	Height	Width	Depth	1+
2248-7518	770 mm	317 mm	402 mm	£275.00

HALOGEN PATIO HEATERS

Uses radiant heat to warm surfaces – not the air around it

BNthermic

- Aluminium construction with stainless steel safety grille
- Open front design maximises efficiency
- Long-life lamp is easily replaceable
- Safety guard
- Mounted: Wall



Includes:

Adjustable wall mounting bracket

Code	Power Rating	Colour	Height	Width	Depth	1+
1073-9116	1.5 kW	Black	125 mm	480 mm	125 mm	£114.95
1282-5880	1.5 kW	Silver	125 mm	480 mm	125 mm	£114.95
1073-9119	1.5 kW	White	125 mm	480 mm	125 mm	£114.95
1282-5883	3 kW	Black	125 mm	960 mm	125 mm	£199.95

DON'T FORGET

10A PUSHBUTTON Levanté OUTDOOR FLECTRONIC TIME I AG SWITCH IPAG

- Suitable for resistive loads and incandescent. fluorescent, CFL and LED lamps
- Capacitor will often be required when switching certain types of loads - sold separately [1865-9914]
- Timer adjustment: 2 60 mins
- No. of wire connections: 3
- BS EN 60669
- Guarantee: 1 Year

Includes:

Backbox

1865-9902 NNI Y

£47.50

1.2 kW INFRARED **OUARTZ PATIO HEATERS**



- Uses radiant heat to warm surfaces not the air around it
- Specifically designed for outdoor use
- Toughened safety glass
- Gland cable entry
- Lamp life: 3.000 hrs
- Mounted: Wall



Includes:

- 2 x Infrared lamps
- Mounting bracket kit

Code	Colour	Height	Width	Depth	1+	3+
1424-6734	Black	190 mm	400 mm	195 mm	£134.95	£129.95
1655-4397	White	190 mm	400 mm	195 mm	£134.95	£129.95
Code	Descript	ion			1+	3+
1424-6737	1.2 kW Rep	placement L	amp		£31.50	£28.95

2 kW STAINLESS STEEL OUARTZ PATIO HEATER



 Uses radiant heat to warm surfaces - not the air around it

1865-9902 Pushbutton

- Specifically designed for
- outdoor use Aluminium case with electrochemically brightened aluminium reflector
- Chromium plated, mild steel quard Anti-tamper screws
- Lamp life: 3.000 hrs
- Mounted: Wall IP65
- Guarantee: 1 Year



Includes:

- Long-life gold halogen lamp
- Mounting bracket kit
- 1.5 m Cable

ONLY

Code	Height	Width	Depth	1+	3+
1424-6740	105 mm	540 mm	95 mm	£154.95	£149.95
Code	Description	n		1+	3+
1424-6743	2 kW Replacement Lamp			£62.50	£59.95

NEXUS STORM WEATHERPROOF ACCESSORIES

- Robust high impact UV stable housing
- Stay open socket cover
- Cable entry: 20 mm Knockouts
- IP66
- Guarantee: 25 Years









0900-7117

FROM **7.50** £ **7**+VAT

EASY SEAL WEATHERPROOF ACCESSORIES



- Robust polycarbonate construction
- Temperature tolerant
- Cable entry: 20 mm Knockouts
- IP66
- BS EN 60669
- Guarantee: 2 Years





FROM £**6.95** £**0.**+VAT

2328-9310

Code	Description	1+	3+
20A Switche	22		
2328-9310	1G 2 Way	£6.95	£6.75
2328-9313	1G 2 Way Retractive	£8.75	£8.50
2328-9328	2G 2 Way	£7.95	£7.50
13A DP Fuse	d Connection Units		
2330-3182	1G Switched - Clear Lid	£11.50	£10.95
2330-3185	1G Switched - Grey Lid	£11.50	£10.95
13A Sockets			
2328-9295	1G Switched - Clear Lid	£10.25	£9.95
2328-9298	1G Switched - Grey Lid	£10.25	£9.95
2328-9316	2G Switched - Clear Lid	£15.25	£14.50
2328-9319	2G Switched - Grey Lid	£15.25	£14.50
Empty Enclo	sures		
2328-9292	1G - Clear Lid	£6.95	£6.50
2328-9325	2G - Grey Lid	£13.50	£12.75

PROTEKT WEATHERPROOF RCD SOCKETS AND FUSE CONNECTION UNITS

- Ideal for outdoor projects in all weather conditions
- Robust polycarbonate construction
- Test button
- Rated trip current: 30 mA
- Trip speed: 20 ms
- Cable entry: 20 mm Knockouts
- IP66
- Guarantee: 5 Years



Code	Description	1+	3+
2292-5677	Type A RCD IG DP Fused Connection Unit	£48.95	£47.95
2292-5674	Type A RCD 2G DP Switched Socket	£54.95	£52.95
2292-5671	13A Type AC RCD Protected Switched Socket	£55.95	£53.95

PROTEKT WEATHERPROOF 7 DAY DP TIMER SWITCHED FUSE CONNECTION UNIT

- Ideal for control of long term outdoor projects in all weather conditions
- Large backlit LCD display
- Easy set 1 day, 5 day and 7 day blocks
- Boost and advance controls

Code

2292-5680

- Battery backup: 700 hrs
- Knockouts: 20 mm
- IP 66
- Guarantee: 5 Years





ONLY

-PowerBreaker-

13A RCD DOUBLE -PowerBreaker-**POLE PLUG**

- Two button Test / Reset operation
- Latching: Manual reset Trip indicator
- Trip speed: 40 ms BS 7071 and BS 1363







-PowerBreaker-

Code	Rated Trip Current	1+
1236-0904	30 mA	£11.95



- Responsive to pulsating DC earth faults
- Test and reset button
- Needs to be reset after power failure Rated trip current: 30 mA
- Trip speed:40 ms



2 x 14 ml Sealants


Code	Description	1+	3+
0108-0646	110V	£49.95	£48.95
0310-1965	240V	£49.95	£48.95

13A IN-LINE RCD

- Provides protection against electric shock
- Test button
- Latching: Manual reset
- Rated trip current: 30 mA
- Trip speed: 40 ms
- Maximum load: 3.12 kW
- IP65
- BS 7071
- Guarantee: 25 Years

N876-N445





HANDBAG STYLE CABLE REFL

- Thermal cut-out with pushbutton reset
- Max. Current fully wound: 5A
- Max. Current fully unwound: 13A
- BS EN 50525 and BS EN 61242
- Guarantee: 1 Year



ONLY

Code	No. of Gangs	Cable Length	1+
2211-4483	4	25 m	£41.95

13A EXTENSION LEAD WITH IN-I INF WFATHERPROOF SOCKET



- Convenient and safe temporary outdoor power socket
- Ideal for use with DIY tools or garden equipment
- BS 1363/2
- Guarantee: 1 Year





Code No. of Ga 0876-0439 1

GU10 WALL LIGHTS IP65

- Fixed steel up / downlight
- Lamp type: GU10 [not included]
- Max. Lamp wattage: 35W
- Warranty: 1 Year





Xnightsbridge

FROM £16.95 £VAT

Code	Description	Finish	Height	Projection	1+	3+
Light Gauge	Steel [1 mm]					
0986-4703	Downlight	Stainless Steel	120 mm	87 mm	£16.95	£15.95
1369-0735	Downlight	Black	120 mm	87 mm	£16.95	£15.95
0986-4706	Up / Downlight	Stainless Steel	162 mm	85 mm	£18.95	£17.95
1369-0738	Up / Downlight	Black	162 mm	85 mm	£18.95	£17.95
Standard Ga	uge Steel [4 mm]					
0179-0020	Downlight	Stainless Steel	107.5 mm	95 mm	£37.50	£35.50
0179-0023	Up / Downlight	Stainless Steel	158 mm	95 mm	£47.95	£45.95

6W LED searchlight **UP / DOWN LIGHT IP44**

- Black die-cast aluminium up / downlight
- Lamp type: GU10 LED [included]
- Colour temperature: Warm white 3000K
- Lamp life: 30,000 hrs
- Lumen output: 540 lm
- Guarantee: 3 Years



ONLY 29.95 £29+VAT

searchlieht

Code	Height	Width	Projection	1+	3+
2214-8920	160 mm	75 mm	85 mm	£29.95	£28.25

LED WALL LIGHTS WITH PIR IP44

- Aluminium up / downlight with PIR sensor
- Lamp type: GU10 LED [2214-8929 only]
- Colour temperature: Warm white 3000K
- Lamp life: 30.000 hrs
- Guarantee: 3 Years





searchlieht

FROM £**35**.95 £**35**+vat

Code	Description	Finish	Height	Width	Projection	1+	3+
Lamp Inclu	ıded						
2214-8929	Downlight	Satin Silver	150 mm	70 mm	110 mm	£35.95	£34.95
Lamp not I							
2214-8932	Up/ Downlight	Black	215 mm	70 mm	108 mm	£41.95	£39.95
2214-8935	Up/ Downlight	Satin Silver	215 mm	70 mm	108 mm	£41.95	£39.95

WALL LIGHTS IP44

- Stainless steel up / downlight with frosted / clear glass diffuser
- Lamp type: 3W GU10 LED [included]
- Colour temperature: Warm white 3000K
- Lumen output: 270 lm [per lamp]
- Guarantee: 1 Year





FROM **36.95** £36+vat

C	ode	Sensor	Height	Width	Projection	1+	3+
2	214-8863	-	176 mm	60 mm	102 mm	£36.95	£35.50
2	214-8851	PIR	220 mm	69 mm	108 mm	£52.95	£49.95



WALL LIGHTS IP44

- Aluminium up / downlight
- Lamp type: GU10 LED [not included]
- Max. Lamp wattage: 35W
- Guarantee: 1 Year





searchlieht



FROM 19.50 £19+VAT

Cone	Describtion	CULUUI	neigiit	WILLIAM	Fiojection	17	3*	
2214-8956	Downlight	Black	80 mm	70 mm	100 mm	£19.50	£18.50	
2214-8959	Downlight	Silver	80 mm	70 mm	100 mm	£21.95	£20.95	
2214-8962	Up / Downlight	Black	150 mm	70 mm	100 mm	£26.95	£25.95	
2214-8965	Up / Downlight	Silver	150 mm	70 mm	100 mm	£30.95	£29.95	

JURA WALL LIGHTS IP44



- Anthracite die-cast wall lights
- Lamp type: GU10 [not included]
- Max. Lamp wattage: 35W
- Guarantee: 1 Year



FROM **7.95 £ 1.95 ...**

Code	Description	Height	Width	Depth	1+
2552-9509	Downlight	81 mm	67 mm	95 mm	£7.95
2552-9512	Up / Downlight	147 mm	67 mm	95 mm	£10.50

WALL LIGHT IP44

searchlieht

- Matt black die-cast aluminium up / downlight with clear glass and polycarbonate diffuser
- Lamp type: 2 x 3W GU10 LED [included]
- Colour temperature: Warm white 3000K
- Lumen output: 270 lm
- Guarantee: 1 Year



ONLY

Code	Height	Width	Projection	1+	3+
2214-8845	250 mm	110 mm	105 mm	£29.95	£29.25

WALL LIGHT IP44

- Dark grey die-cast aluminium wall light with grilled effect polycarbonate diffuser
- Max. Lamp wattage: 60W
- Lamp type: ES / E27 [not included]
- Guarantee: 1 Year



ONLY

searchlieht

Code	Height	Width	Projection	1+	3+
1993-2877	245 mm	120 mm	81 mm	£36.25	£34.95

6W LED WALL LIGHT IP44

searchlieht

- Black die-cast aluminium up / downlight with clear glass shade
- Integrated LED
- Colour temperature: Cool white 4000K
- Lumen output: 300 lm
- Guarantee: 1 Year



Code	Height	Width	Projection	1+	3+
2303-1487	162 mm	90 mm	57 mm	£29.95	£28.95

6W ATLAS LED ADJUSTABLE WALL LIGHTS IP44



- Anthracite up / downlight with 30° adjustable light effect
- Integrated LED
- Lumen output: 450 lm



Code	Colour Temp	Height	Width	Depth	1+
2552-9503	Warm White 3000K	151 mm	70 mm	70 mm	£25.95
2552-9506	Cool White 4000K	151 mm	70 mm	70 mm	£25.95



SPIKE LIGHTS IP65

- · Adjustable spike light
- Lamp type: GU10 [not included]
- Max. Lamp wattage: 35W
- Warranty: 1 Year



Xnightsbridge

FROM

		IIII						
Code	Material	Finish	Length	0	1+	3+		
Standard Fi	tting with 3 m Cable							
0986-4700	Die-Cast Aluminium	Powder Coated Black	250 mm	63 mm	£15.95	£14.95		
0449-1952	Stainless Steel	Stainless Steel	250 mm	63 mm	£37.95	£34.95		
Lightweight	Lightweight Fitting with 2 m Cable							
1776-5827	Stainless Steel	Stainless Steel	250 mm	60 mm	£21.95	£20.95		

4W LUMINATRA LED SPIKE LIGHT IP65

- Black anodised with frosted polycarbonate lens
- Colour temperature: Cool white 4000K
- Integrated LED
- Lumen output: 300 lm
- Mounted: Spike
- Warranty: 2 Years

Includes:

- Spike
- 2 m Prewired cable

Code	Height	0	1+	3
2552-2438	310 mm	60 mm	£25.95	£23.9

saxby

ODYSSEY SPIKE LIGHT IP65



- glass lens
- Dimmable Lamp type: GU10 [not included]
- Max. LED Lamp wattage: 7W
- Mounted: Spike
- Warranty: 2 Years

Includes:

3 m Prewired cable

011111111	ii cu oubtc		
Code	Height	Ø	1+
0148-9084	315 mm	63 mm	£34.95





NAUTILUS SPIKE LIGHT IP65

- Black aluminium adjustable GU10 spotlight
- Lamp type: GU10 [not included]
- Max. LED Lamp wattage: 11W
- Mounted: Spike
- Guarantee: 1 Year



[†]SLV

4.5W IKON LED DECKING KITS IP67



- Stainless steel decking light kits
- Integrated LED
- Lamp life: 25,000 hrs
- Warranty: 2 Years



Includes:

- 10 x Fittings
- LED Driver
- 3 m Connector cables [per lamp]

ONLY

saxby

Code	Colour	Depth	Ø	Cut Out Ø	1+	3+
1181-5720	Daylight - 6500K	35 mm	30 mm	22 mm	£37.95	£34.95
1181-5717	Blue	35 mm	30 mm	22 mm	£37.95	£34.95

3W LED SPIKE LIGHT IP44



95 mm

£19.95

£19.50

- Black aluminium adjustable LED spike light
- Lamp type: 1 x 3W LED GU10 [included]
- Colour temperature: Warm white 3000K
- Lumen output: 270 lm
- Mounted: Wall or spike
- Guarantee: 1 Year

Includes:

Code Height 2525-3386 130 mm



Includes:

Wall / floor mounting bracket

	2h	IK
le.	odo	

Code	Height
2214-8899	290 mm

98 mm

£16.25 £15.75

7.5W IKONPRO LED **COLOUR SELECTABLE DECKING KITS IP67**



 Colour selectable: Warm white 3000K and cool white 4000K

- Lamp life: 25,000 hrs
- Integrated LED
- Warranty: 2 Years



Includes:

- 10 x Fittings
- LED Driver
- 1.5 m Connector cables [per lamp]
- 5 m Extension cable
 - 3 m Prewired cable and plug

Code	Lumens	Depth	Ø	Cut Out Ø	1+	3+
2465-7676	120 lm	65 mm	25 mm	20 mm	£43.95	£39.95
2466-9370	280 lm	65 mm	35 mm	25 mm	£49.95	£45.95
2466-9373	410 lm	65 mm	45 mm	32 mm	£55.95	£51.95

GU10 DRIVEOVER GROUNDLIGHTS IP67

- Stainless steel GU10 driveover groundlight for use with LED lamps
- Maximum weight: 1,000 kg at 5 mph
- Lamp type: GU10 or GU10 CFL [not included]
- Max. Lamp wattage: 35W
- Warranty: 1 Year





Knightsbridge

FROM

Code	Length	Width	Depth	0	Cut Out Ø	1+	3+
Circular							
0118-9843	-	-	130 mm	105 mm	95 mm	£19.50	£18.75
0887-7712	-	-	155 mm	105 mm	95 mm	£22.75	£21.95
Square							
0126-7432	100 mm	100 mm	130 mm		95 mm	£30 95	£29 95

Xnightsbridge 0.6W LED MAINS GROUNDLIGHT

- Stainless steel mini LED groundlight with brushed chrome bezels
- Mains voltage with integrated LED
- Colour temperature: Daylight 6000K
- Lumen output: 48 lm
- Lamp life: 25,000 hrs
- Warranty: 3 Years



Includes:

3 x Interchangeable bezels

2 m Rubber cable

ONLY

Code	Depth	Ø	Cut Out Ø	1+	3+
1453-9606	45.5 mm	38 mm	32 mm	£13.95	£13.50

4.5W KIOS 2 LED **GROUNDLIGHT KIT IP44**



- Stainless steel plug-and-play groundlights
- Integrated LED
- Colour temperature: Daylight 6500K
- Lumen output: 80 lm
- Lamp life: 25.000 hrs
- Warranty: 2 Years



Includes:

- 10 x Fittings
- 1 m Connector cable [per lamp]
- 5 m Prewired cable with nlug

0 111 1	ICWIICU	GUDIC	WILLI	prug
Codo	Don	th	a	

2563-0000 30 mm 30 mm £29.95 £27.95 22 mm

1W LED GROUNDLIGHT IP65



- Stainless steel and aluminium recessed groundlight with tempered glass lens
- Integrated LED
- Colour temperature: Cool white 4000K
- Lumen output: 94 lm
- Lamp life: 30.000 hrs
- Guarantee: 1 Year



Includes:

 In-line LED driver with 500 mm power lead

ONLY

Code	Depth	Ø	Cut Out Ø	1+	3+
1976-8378	50 mm	40 mm	35 mm	£19.25	£18.25

PILLAR GU10 WALKOVER GROUNDLIGHT IP65

- saxby
- Stainless steel groundlight
- Compatible with LED lamps
- Lamp type: GU10 [not included]
- Max. Lamp wattage: 50W
- Dimmable
- Warranty: 2 Years



saxby

Code	Depth	Ø	Cut Out Ø	1+	3+
0186-7858	150 mm	105 mm	102 mm	£15.95	£14.95

5W LED BOLLARDS IP65

- Iroko wood bollards
- Integrated LED
- Beam angle: 110°
- Lamp life: 70,000 hrs
- Mounted: Root or bracket
- Warranty: 1 Year [extended warranty: 7 years]



Code	Lumens	Height	Width	1+	3+
Warm White					
1369-6321	160 lm	1000 mm	95 mm	£374.95	£359.95
Cool White -	- 4000K				
1766-3968	246 lm	1000 mm	95 mm	£374.95	£359.95

0.8W COVE LED GROUNDLIGHTS IP67



- Marine grade stainless steel
- Complete with integrated control gear
- Suitable for use in exterior soffits
- Integrated LED
- Beam angle: 120°
- Lumen output: 50 lm
- Lamp life: 25.000 hrs
- Warranty: 2 Years



Includes:

ONLY 1.5 m Prewired cable

Code	Colour Temp	Depth	Ø	Cut Out Ø	1+	3+
2449-3756	Warm White – 3000K	35 mm	40 mm	32 mm	£11.95	£10.95
2185-8877	Daylight – 6500K	35 mm	40 mm	32 mm	£11.95	£10.95

1.8W LED BOLLARDS IP44

- Integrated LED
- Colour temperature: Daylight 6500K 7000K

Stainless steel bollards with clear polycarbonate diffuser

- Lumen output: 149 lm
- Mounted: Surface
- Guarantee: 1 Year



searchlieht

Code	Height	Ø	1+	3+
1262-7991	450 mm	117 mm	£42.95	£40.95
1262-7994	900 mm	117 mm	£51.95	£49.95

WALL MOUNTED ELECTRONIC PHOTOCELL KITS IP65

- UV Stabilised polycarbonate
- E.M. Relay switch
- Lux levels [5A]: 70 / 105 lx [1:1.5 + VE]
- Lux levels [10A]: 70 / 35 lx [1:0.5 + VE]
- Switching delay: 15 secs
- FN 50081-1
- Guarantee: 1 Year

- Kit contents:
- Photocell head
- Base holder
- Bracket
- NEMA Socket
- Integral gasket
- Screws and wall plugs

CHALLENGER

Mounted: Wall, ceiling

Code	Height	Projection	1+	3+
Opal Diffus	er – 5A			
0003-7102	124 mm	87 mm	£16.25	£15.50
Clear Diffus	ser – 5A			
0003-7108	124 mm	87 mm	£24.25	£22.95
Clear Diffus				
0003-7105	124 mm	87 mm	£42.95	£41.25





FUSIN

FROM

CHALLENGER

WALL / CEILING MOUNTED PIRs IP55

- Adjustable sensitivity, time and lux
- Supplied with lens shield
- Detection angle: 240°
- Detection range: 4 12 m
- Timer adjustment: 1 20 mins



or corner

Guarantee: 1 Year

Load rating:

- Max. 2,000W [10A] Incandescent lamps
- Max. 400W [1.6A] LED Lamps

Code	Colour	Height	Width	Projection	1+	3+
2613-8179	Black	74 mm	72 mm	133.6 mm	£33.50	£31.50
2613-8176	White	74 mm	72 mm	133.6 mm	£33.50	£31.50

WALL / CEILING MOUNTED PIRs IP55

Adjustable detector head and lux

- Supplied with lens shield and corner mount
- Detection angle: 45 360°
- Detection range: 16 m
- Timer adjustment: 5 secs - 15 mins
- Guarantee: 1 Year





Load rating:

- Max. 2,200W [8A] Incandescent lamps
- Max. 200W [0.8A] LED Lamps

Code	Colour	Height	Width	Projection	1+	3+
2613-8074	Black	147 mm	88 mm	50 mm	£29.95	£27.95
2613-8071	White	147 mm	88 mm	50 mm	£29.95	£27.95

WALL / CEILING **MOUNTED PIRS 1P44**

- Auto override
- Detection angle: 180°
- Detection range: 12 m
- Timer adjustment: 10 secs 10 mins
- Guarantee: 1 Year

Load rating:

- Max. 1,000W [4A] Incandescent lamps
- Max. 200W [0.8A] up to 6 LED Lamps

Code	Colour	Height	Width	Projection	1+	3+
1249-4044	Black	80 mm	70 mm	125 mm	£15.25	£14.50
1249-4047	White	80 mm	70 mm	125 mm	£15.25	£14.50





ONLY



• Re-enterable even after long periods of operation





ADAPTABLE BOX KIT WITH GLANDS AND MAGIC GEL IP68

Kit contents:



